

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"20020077136"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 09:31
L6	2551	(synchron\$8) WITH (plurality) WITH (terminal \$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 11:45
L7	1	L6 AND ("20040047332")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 11:46
L8	1	("20040047332") AND ((synchron\$8 WITH terminal\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 11:49
S1	3	("20020150091" "20020150092" "6304558").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 13:16
S2	1	10/570557.APP.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 13:19
S3	3	((STEPHAN) near2 (BLICKER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/09 09:35
S4	3	((MATTHIAS) near2 (BRITSCH)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/09 09:36
S5	3	((NORBERT) near2 (ESSELING)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/09 09:36
S6	7	S3 or S4 or S5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 09:37
S7	1	S6 AND ((operator AND (push\$1to\$1talk or PTT) AND server\$2 AND synchron\$6).CLM.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 09:38

S8	2	("20020077136" "20050276268").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:09
S9	1	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) near8 ((service ADJ provider) or server \$3 or database\$3 or manager\$2) near8 (synchron\$8)) SAME (push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to \$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:31
S10	2	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) WITH ((service ADJ provider) or server \$3 or database\$3 or manager\$2) WITH (synchron\$8)) SAME (push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to \$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:33
S11	19	((service ADJ provider) or server\$3 or database \$3 or manager\$2) near7 (synchron\$8) near7 (push \$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (press\$1to \$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:36

S12	26	((service ADJ provider) or server\$3 or database \$3 or manager\$2) WITH (synchron\$8) WITH (push \$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (press\$1to \$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:41
S13	7	S12 NOT S11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:41
S14	13	((push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to \$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk)) ADJ ((service ADJ provider) or server\$3 or database\$3 or manager \$2)) WITH (synchron\$8) WITH ((push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push \$1to\$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk)) ADJ ((service ADJ provider) or server\$3 or database\$3 or manager \$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 12:09
S15	26901	((service ADJ provider) or server\$3 or database \$3 or manager\$2) WITH (synchron\$7) WITH ((service ADJ provider) or server\$3 or database \$3 or manager\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 12:59

S16	16430	((service ADJ provider) or server\$3 or database \$3 or manager\$2) near7 (synchron\$7) near7 ((service ADJ provider) or server\$3 or database \$3 or manager\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:00
S17	28	S16 SAME (push\$1to \$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:02
S18	26901	((service ADJ provider) or server\$3 or database \$3 or manager\$2) WITH (synchron\$7) WITH ((service ADJ provider) or server\$3 or database \$3 or manager\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:03
S19	40	S18 SAME (push\$1to \$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (direct ADJ voice ADJ communicat \$4) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:05
S20	14	S19 NOT S12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:11
S21	12	((server\$3) near5 (synchron\$7) near5 server\$3) WITH (PTT or PoC)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:16
S22	6497	((server\$3) near5 (synchron\$7) near5 server\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:18
S23	15	S22 AND 455/517,518,519.CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:19

S24	339	((server\$3) near5 (synchron\$7) near5 server\$3) AND "455". CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:43
S25	74	((server\$3) ADJ5 (synchron\$7) ADJ5 server \$3) AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:51
S26	104	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (direct ADJ voice ADJ communicat \$4) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:59
S27	104	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:00

S28	75	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near7 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:14
S29	329	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) WITH ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:26
S30	313	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) near7 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) SAME (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:29

S31	171	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) near7 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near7 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:29
S32	94	S31 AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:29
S33	58	S32 NOT S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:30
S34	96	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ7 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:31
S35	15	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) ADJ5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:32

S36	254	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ10 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) SAME (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:34
S37	86	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ4 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:35
S38	57	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ4 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near6 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:35

S39	52	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ4 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:35
S40	422	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 (device\$2 or terminal\$2 or mobile\$2 or cellular)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 16:03
S41	254	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 (device\$2 or terminal\$2 or mobile\$2 or cellular)) near5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 16:04
S42	139	S41 AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 16:04

4/10/2008 12:12:29 PM

C:\Documents and Settings\ajain1\My Documents\EAST\Workspaces\10570557.wsp